

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,056,331
Issued: June 6, 2006
Name of Patentee: Andrew Kaplan
Title of Invention: Suture Method


**Mail Stop: Decision and Certificate of Correction
Branch of the Patent Issue Division**

**Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 CFR 1.322(a))**

1. Attached, in duplicate, is Form PTO/SB/44, with at least one copy being suitable for printing.
2. The exact page and line number where the errors are shown correctly in the application file are listed on the attached Form PTO/SB/44.
3. Please send the Certificate to :
Name: Matthew W. Witsil
Address: P.O. Box 13706
Research Triangle Park, NC 27709
(complete, if applicable)

Quill Medical Inc.
(type or print name of assignee)

 11 July 2006
Signature of assignee or person authorized to
sign on behalf of assignee

Matthew W. Witsil, Reg. No. 47,183
(type or print name of authorized person signing)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,056,331

APPLICATION NO.: 10/065,256

ISSUE DATE : June 6, 2006

INVENTOR(S) : Kaplan et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30

Line 35, change "mount" to --amount--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Moore & Van Allen PLLC

P.O. Box 13706

Research Triangle Park, NC 27709

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,056,331

APPLICATION NO.: 10/065,256

ISSUE DATE : June 6, 2006

INVENTOR(S) : Kaplan et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30

Line 35, change "mount" to --amount--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Moore & Van Allen PLLC
P.O. Box 13706
Research Triangle Park, NC 27709

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.